$\begin{array}{c} ATELIER\\ OOI \end{array}$

COSMIC COLLECTION 2023

WWW.ATELIER001.COM

INTRODUCTION



Operating from a London-based studio, Atelier001 is a luxury lighting brand celebrating artisanship by creating beautiful, collectible lighting objects with the highest attention to detail and finish.

The designs are curated by acclaimed lighting designer and artist, Eva Menz, who is committed to making exceptional light pieces more accessible to a larger audience. The fabrication of the lights also aims to support a network of unique makers in what are often described as 'dying trades'. Each Atelier001 piece is hand-finished by master artisans, who imbue these exclusive objects with their incredible skills. Each carefully considered detail attests to the dedication of the makers, while the individual touches and handmade quality celebrate the inherent beauty of authentic materials.

We encourage our audience to welcome and embrace the unique character within each object, its variations and small beautiful imperfections.





Working with metal is always magical. For the Cosmic collection we play with both shapes and patina finishes. The aim was to achieve terrestrial, possibly extra-terrestrial imitations of surfaces, and planet-like appearances. These textures, imaginary imagery and actual alchemy formed the basis of our inspiration.

Reflector plates are first shaped over a mould into a curve. The mould is carved out of wood, then either brass or copper is spun over it. This leaves the smallest patters, tracing a process

COSMIC COLLECTION

that is beautiful to observe. The plates are the metalworkers' canvas of painting. Oxidising, heat, acid, pigments, process, patience, getting it wrong and starting all again. Bronzing, acid and heat treatment is applied to this collection, and each plate varies slightly and intentionally.

The process of brushing, spraying, splashing and polishing results in a variety of finishes, giving each piece of Cosmic an individual touch. It is the perfect demonstration of the interaction between the material and craftsmen.



COSMIC COMET

PURION

ORE





REGOLITH



OXIDIUM



VERDIGRIS





COSMIC WALL

PURION

ORE






VERDIGRIS

REGOLITH





OXIDIUM



AZURE



RUST





COSMIC COMET PENDANT





REGOLITH

AURUM





OXIDIUM



VERDIGRIS



SOL





COSMIC PENDANT





NOIR

VERDIGRIS





OXIDIUM



RUST



ORE





COSMIC PENDANT DUO



VERDIGRIS





COSMIC COLLECTION

REGOLITH





COSMIC CHANDELIER





VERDIGRIS XL

ORE XL

VERDIGRIS





RUST



REGOLITH XL



PURION XL





COSMIC CAROUSEL CHANDELIER

OXIDIUM

REGOLITH



COSMIC COLLECTION

PURION





ORBIT SOLO PENDANT



VERDIGRIS



PURION



RUST





ORBIT TRIO PENDANT



VERDIGRIS



PURION



RUST





ORBIT TRIO PENDANT



REGOLITH XL



VERDIGRIS XL



PURION XL



RUST XL





SOLSTICE TABLE LIGHTS



SOLSTICE FLOOR LIGHTS

ORE X

NOIR X














COMET PURION

DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH

Gloss or matt white lacquer; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION

LED colour temperature 2700K LED dimmable driver Output 24V 6W 750lm Input 120/240V 50,000 hours rated life

LED DRIVER LOCATION Mains dimming: Integrated in fixture; 0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED All components supplied.


REGION CE certified; UL listing available at a surcharge.











COMET ORE

DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Bronze gradient patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION

LED colour temperature 2700K LED dimmable driver Output 24V 6W 750lm Input 120/240V 50,000 hours rated life


LED DRIVER LOCATION Mains dimming: Integrated in fixture; 0-10V, 1-10V and Dali Dimming: To be integrated into wall.


WALL MOUNTED All components supplied.

REGION CE certified; UL listing available at a surcharge.









COMET OXIDIUM

DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Oxidised brass patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping

ILLUMINATION

LED colour temperature 2700K LED dimmable driver Output 24V 6W 750lm Input 120/240V 50,000 hours rated life

LED DRIVER LOCATION Mains dimming: Integrated in fixture; 0-10V, 1-10V and Dali Dimming: To be integrated into wall.


WALL MOUNTED All components supplied.

REGION CE certified; UL listing available at a surcharge.









COMET VERDIGRIS

DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping

ILLUMINATION

LED colour temperature 2700K LED dimmable driver Output 24V 6W 750lm Input 120/240V 50,000 hours rated life


LED DRIVER LOCATION Mains dimming: Integrated in fixture; 0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED All components supplied.


REGION CE certified; UL listing available at a surcharge.











COMET REGOLITH

DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH

Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION

LED colour temperature 2700K LED dimmable driver Output 24V 6W 750lm Input 120/240V 50,000 hours rated life


LED DRIVER LOCATION Mains dimming: Integrated in fixture; 0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED All components supplied.

REGION CE certified; UL listing available at a surcharge.







PURION

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH

Gloss or matt white lacquer; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 8-10 weeks excl. shipping

ILLUMINATION


LED colour temperature 2700K LED dimmable driver Output 450mA 4W 500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED Driver to be integrated into wall. All components supplied.


REGION CE certified; UL listing available at a surcharge.











ORE

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH

Bronze gradient patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 8-10 weeks excl. shipping

ILLUMINATION


LED colour temperature 2700K LED dimmable driver Output 450mA 4W 500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED Driver to be integrated into wall. All components supplied.


REGION CE certified; UL listing available at a surcharge.











OXIDIUM

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Oxidised brass patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 8-10 weeks excl. shipping

ILLUMINATION


LED colour temperature 2700K LED dimmable driver Output 450mA 4W 500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


WALL MOUNTED Driver to be integrated into wall. All components supplied.


REGION CE certified; UL listing available at a surcharge.











AZURE

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Mixed indigo patina;

Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 8-10 weeks excl. shipping


ILLUMINATION

LED colour temperature 2700K LED dimmable driver Output 450mA 4W 500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED Driver to be integrated into wall. All components supplied.


REGION CE certified; UL listing available at a surcharge.











VERDIGRIS

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 8-10 weeks excl. shipping

ILLUMINATION


LED colour temperature 2700K LED dimmable driver Output 450mA 4W 500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED Driver to be integrated into wall. All components supplied.

REGION CE certified; UL listing available at a surcharge.













REGOLITH

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH

Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 8-10 weeks excl. shipping

ILLUMINATION


Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 450mA 4W 500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


WALL MOUNTED Driver to be integrated into wall. All components supplied.

REGION CE certified; UL listing available at a surcharge.











RUST

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 8-10 weeks excl. shipping

ILLUMINATION


LED colour temperature 2700K LED dimmable driver Output 450mA 4W 500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED Driver to be integrated into wall. All components supplied.

REGION CE certified; UL listing available at a surcharge.











COMET PENDANT PURION

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Gloss or matt white lacquer; Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION


LED colour temperature 2700K LED dimmable driver Output 24V 15W 1200lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.


REGION CE certified; UL listing available at a surcharge.











COMET PENDANT ORE

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Bronze gradient patina; Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 24V 15W 1200Im Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.


COSMIC COLLECTION



required) 2700К OV nto ceiling. n (118") to be curcharge.







COMET PENDANT OXIDIUM

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Oxidised brass patina; Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION Integrated LED (No bulb required)


LED colour temperature 2700K LED dimmable driver Output 24V 15W 1200Im Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.











COMET PENDANT VERDIGRIS

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION Integrated LED (No bulb required)


LED colour temperature 2700K LED dimmable driver Output 24V 15W 1200Im Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.













COMET PENDANT REGOLITH

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping

ILLUMINATION Driver Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 24V 15W 1200Im Input 120/240V 50,000 hours rated life DIMMING Mains, DALI, 0-10V or 1-10V CEILING MOUNTED Driver to be integrated into ceiling. 60cm (23.6") Suspension cable 300cm (118") to be cut to size. REGION 30cm (11.8") UL listing available at a surcharge.

CE certified;











COMET PENDANT AURUM

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Polished brass; Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION


Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 24V 15W 1200Im Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.


REGION CE certified; UL listing available at a surcharge.













COMET PENDANT SOL

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Satin brass; Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION


Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 24V 15W 1200Im Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.











SOL PENDANT

DIMENSIONSILLUMINATIONØ 70cm (27.5") | Height 42cm (16.5")Integrated LED (No bulb required)Ø 100cm (39.4") | Height 52cm (20.5")LED colour temperature 2700K

ILLUMINATION Integrated LED (No bulb req LED colour temperature 270 LED dimmable driver Output 700mA 17W 1500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.


REGION CE certified; UL listing available at a surcharge.

WEIGHT 9kg (19.8lbs) 15kg

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Satin brass; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping











PURION PENDANT

WEIGHT

9kg (19.8lbs)

15kg (33.1lbs)

MATERIALS

FINISH

DIMENSIONS Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

ILLUMINATION LED dimmable driver Output 700mA 17W 1500lm Input 120/240V

DIMMING Mains, DALI, 0-10V or 1-10V

Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.

LEAD TIME 10-12 weeks excl. shipping

patterns and textures.


finished and will vary slightly in

Satin brass framework Hand-spun brass plate

50,000 hours rated life

CEILING MOUNTED Gloss or matt white lacquer; Please note that each piece is hand-











OXIDIUM PENDANT

DIMENSIONSILLUMINATIONØ 70cm (27.5") | Height 42cm (16.5")Integrated LED (No bulb requireØ 100cm (39.4") | Height 52cm (20.5")LED colour temperature 2700K

ILLUMINATION Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 17W 1500lm Input 120/240V 50.000 bours rated life

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Oxidised brass patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping Input 120/240V 50,000 hours rated life DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.







ATELIER OOI



RUST PENDANT

WEIGHT

15kg

9kg (19.8lbs)

MATERIALS

DIMENSIONSILLUMINATIONØ 70cm (27.5") | Height 42cm (16.5")Integrated LED (No bulb required)Ø 100cm (39.4") | Height 52cm (20.5")LED colour temperature 2700K

ILLUMINATION Integrated LED (No bulb req LED colour temperature 270 LED dimmable driver Output 700mA 17W 1500Im Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


> CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.

Satin brass framework Hand-spun brass plate FINISH Rust patina;

Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping







ATELIER OOI



NOIR PENDANT

DIMENSIONSILLUMINATIONØ 70cm (27.5") | Height 42cm (16.5")Integrated LED (No bulb required)Ø 100cm (39.4") | Height 52cm (20.5")LED colour temperature 2700K

ILLUMINATION Integrated LED (No bulb req LED colour temperature 270 LED dimmable driver Output 700mA 17W 1500Im Input 120/240V 50.000 hours rated life

9kg (19.8lbs) 15kg (33.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH


WEIGHT

Bronze gradient patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping Output 700mA 17W 1500lm Input 120/240V 50,000 hours rated life DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.











VERDIGRIS PENDANT

DIMENSIONS Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

ILLUMINATION LED dimmable driver Output 700mA 17W 1500lm Input 120/240V

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate


FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









ORE PENDANT

DIMENSIONS Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

ILLUMINATION LED dimmable driver Output 700mA 17W 1500lm Input 120/240V

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH


Bronze gradient patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









PENDANT DUO SOL

DIMENSIONS Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

ILLUMINATION LED dimmable driver

WEIGHT 15kg (33.1lbs) 27kg (59.5lbs)

MATERIALS Satin brass framework Hand-spun brass plate


FINISH Satin brass: Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping Output 700mA 40W 3000lm Input 120/240V 50,000 hours rated life DIMMING


Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









PENDANT DUO VERDIGRIS

DIMENSIONS Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

ILLUMINATION LED dimmable driver Input 120/240V

WEIGHT 15kg (33.1lbs) 27kg (59.5lbs)

MATERIALS Satin brass framework Hand-spun brass plate


FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping Output 700mA 40W 3000lm 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.







ATELIER 001



PENDANT DUO REGOLITH

DIMENSIONS Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

ILLUMINATION LED dimmable driver Output 700mA 40W 3000lm Input 120/240V

WEIGHT 15kg (33.1lbs) 27kg (59.5lbs)

MATERIALS Satin brass framework Hand-spun brass plate


FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.











ORE CHANDELIER

DIMENSIONS Ø 70cm (27.5") | Height 57cm (22.4") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 75cm (29.5") LED colour temperature 2700K

ILLUMINATION

WEIGHT 15kg (33.1lbs) 25kg (55.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Bronze patina gradient;


Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping LED dimmable driver Output 700mA 2x17W 1500lm Input 120/240V 50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









VERDIGRIS CHANDELIER

DIMENSIONS Ø 70cm (27.5") | Height 57cm (22.4") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 75cm (29.5") LED colour temperature 2700K

ILLUMINATION LED dimmable driver Output 700mA 2x17W 1500lm Input 120/240V

WEIGHT 15kg (33.1lbs) 25kg (55.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate


FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping 50,000 hours rated life DIMMING


Mains, DALI, 0-10V or 1-10V CEILING MOUNTED

Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









RUST CHANDELIER

WEIGHT

15kg (33.1lbs)

25kg (55.1lbs)

MATERIALS

DIMENSIONS Ø 70cm (27.5") | Height 57cm (22.4") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 75cm (29.5") LED colour temperature 2700K

ILLUMINATION LED dimmable driver Output 700mA 2x17W 1500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V Satin brass framework

> CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.


REGION CE certified; UL listing available at a surcharge.

Hand-spun brass plate FINISH Rust patina; Please note that each piece is hand-

patterns and textures.

finished and will vary slightly in

LEAD TIME 10-12 weeks excl. shipping







ATELIER OOI



REGOLITH CHANDELIER XL

DIMENSIONSILLUMINATIONØ 70cm (27.5") | Height 85cm (33.5")Integrated LED (No bulb required)Ø 100cm (39.4") | Height 108cm (42.5")LED colour temperature 2700K

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)

MATERIALS Satin brass framework Hand-spun brass plate


FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping Integrated LED (No bulb requ LED colour temperature 2700 LED dimmable driver Output 700mA 90W 4500lm Input 120/240V 50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.







ATELIER OOI



VERDIGRIS CHANDELIER XL

DIMENSIONSILLUMINATIONØ 70cm (27.5") | Height 85cm (33.5")Integrated LED (No bulb required)Ø 100cm (39.4") | Height 108cm (42.5")LED colour temperature 2700K

LED colour temperature 2700 LED dimmable driver Output 700mA 90W 4500lm Input 120/240V 50.000 hours rated life

40kg (88.2lbs) MATERIALS

Satin brass framework Hand-spun brass plate

WEIGHT

35kg (44.2lbs)


FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping 50,000 hours rated life DIMMING

Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









ORE CHANDELIER XL

DIMENSIONS ILLUMINATION Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

LED dimmable driver Output 700mA 90W 4500lm Input 120/240V

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)

MATERIALS Satin brass framework Hand-spun brass plate


FINISH Bronze gradient patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping 50,000 hours rated life DIMMING

Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









PURION CHANDELIER XL

DIMENSIONS ILLUMINATION Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

LED dimmable driver Output 700mA 90W 4500lm Input 120/240V

40kg (88.2lbs) MATERIALS

Satin brass framework Hand-spun brass plate

FINISH

WEIGHT

35kg (44.2lbs)


Gloss and matt white lacquer; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping 50,000 hours rated life DIMMING

Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









CAROUSEL OXIDIUM CHANDELIER

DIMENSIONS Ø 100cm (39.4") Height 110cm (43.3")

WEIGHT 40kg (88.2lbs)

MATERIALS Satin brass framework Hand-spun brass plate Hand-blown glass plate


FINISH Oxidised brass patina Verdigris patina Jade green to clear gradient


LEAD TIME 14-16 weeks excl. shipping ILLUMINATION Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 90W 4500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









CAROUSEL REGOLITH CHANDELIER

DIMENSIONS Ø 100cm (39.4") Height 110cm (43.3")

WEIGHT 40kg (88.2lbs)

MATERIALS Dark bronze framework Hand-spun brass plate Hand-blown glass plate


FINISH Dark bronze patina Rust patina Smoke grey to clear gradient

LEAD TIME 14-16 weeks excl. shipping ILLUMINATION Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 90W 4500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.









CAROUSEL PURION CHANDELIER

DIMENSIONS Ø 100cm (39.4") Height 110cm (43.3")

WEIGHT 40kg (88.2lbs)

MATERIALS Satin brass framework Hand-spun brass plate Hand-blown glass plate

FINISH Gloss white lacquer Oxidised patina High polished brass White to clear gradient


LEAD TIME 14-16 weeks excl. shipping

ILLUMINATION Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 90W 4500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.











ORBIT SOLO ORE

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Bronze patina gradient; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping


ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 35W 2300lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.









ORBIT SOLO REGOLITH

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping


ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 35W 2300lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.









ORBIT SOLO PURION

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH

Gloss or matt white lacquer; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping


ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 35W 2300lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.











ORBIT SOLO RUST

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping


ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 35W 2300lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.











ORBIT SOLO VERDIGRIS

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping


ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 35W 2300lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.











ORBIT TRIO ORE

DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Bronze patina gradient;

Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping

ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.

COSMIC COLLECTION

116cm









ORBIT TRIO REGOLITH

DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping

ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.

COSMIC COLLECTION

116cm









ORBIT TRIO PURION

DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH

Gloss or matt white lacquer; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping

ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.

COSMIC COLLECTION

116cm









ORBIT TRIO RUST

DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping

ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.

COSMIC COLLECTION

116cm











ORBIT TRIO VERDIGRIS

DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping

ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.

COSMIC COLLECTION

116cm











ORBIT TRIO XL ORE

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH

Bronze patina gradient; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping

Drive 115cm 160cm

ILLUMINATION Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life DIMMING Mains, DALI, 0-10V or 1-10V CEILING MOUNTED Driver to be integrated into ceiling.

All components supplied.

REGION CE certified; UL listing available at a surcharge.







ORBIT TRIO XL REGOLITH

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping


ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.









ORBIT TRIO XL PURION

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH

Gloss or matt white lacquer; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping


ILLUMINATION

Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. All components supplied.

REGION CE certified; UL listing available at a surcharge.











ORBIT TRIO XL RUST

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping

Drive 115cm 160cm

ILLUMINATION Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life DIMMING Mains, DALI, 0-10V or 1-10V CEILING MOUNTED Driver to be integrated into ceiling.

All components supplied.

REGION CE certified; UL listing available at a surcharge.









ORBIT TRIO XL VERDIGRIS

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)

MATERIALS Medium bronze framework Hand-spun brass plate

FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping

Drive 115cm 160cm

ILLUMINATION Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 700mA 50W 3000lm Input 120/240V 50,000 hours rated life DIMMING Mains, DALI, 0-10V or 1-10V CEILING MOUNTED Driver to be integrated into ceiling.

All components supplied.

REGION CE certified; UL listing available at a surcharge.









SOLSTICE ORE

DIMENSIONS Ø 40cm (15.7") | Height 47cm (18.5")

ILLUMINATION Integrated LED (No bulb required) LED colour temperature 3000K LED mains dimmable

WEIGHT 6kg (13.2lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Bronze patina gradient; Please note that each piece is handfinished and will vary slightly in patterns and textures.


Input 120/240V 50,000 hours rated life SWTICH Plug with dimmer switch.

REGION CE certified; UL listing available at a surcharge.

LEAD TIME 12-14 weeks excl. shipping

COSMIC COLLECTION

Output 350mA 16W 1500lm









SOLSTICE NOIR

DIMENSIONS Ø 40cm (15.7") | Height 47cm (18.5")

LED mains dimmable

WEIGHT 6kg (13.2lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

Input 120/240V 50,000 hours rated life SWTICH Plug with dimmer switch.

ILLUMINATION


REGION CE certified; UL listing available at a surcharge.

LEAD TIME 12-14 weeks excl. shipping

COSMIC COLLECTION

Integrated LED (No bulb required) LED colour temperature 3000K

Output 350mA 16W 1500lm











SOLSTICE AURUM

DIMENSIONS Ø 40cm (15.7") | Height 47cm (18.5")

ILLUMINATION Integrated LED (No bulb required) LED colour temperature 3000K

WEIGHT 6kg (13.2lbs)

MATERIALS High polished brass framework Hand-spun brass plate

FINISH High polished brass; Please note that each piece is handfinished and will vary slightly in patterns and textures.

Input 120/240V 50,000 hours rated life SWTICH Plug with dimmer switch.

LED mains dimmable

REGION CE certified; UL listing available at a surcharge.

LEAD TIME 12-14 weeks excl. shipping

COSMIC COLLECTION

Output 350mA 16W 1500lm 47cm

20cm 40cm







SOLSTICE ORE X

DIMENSIONS Ø 50cm (19.7") | Height 150cm (59.1") Integrated LED (No bulb required)

ILLUMINATION

WEIGHT 9kg (19.8lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH Bronze patina gradient; Please note that each piece is handfinished and will vary slightly in patterns and textures.


LED mains dimmable Output 350mA 16W 1500lm Input 120/240V 50,000 hours rated life SWTICH


Plug with dimmer switch.

REGION CE certified; UL listing available at a surcharge.

LEAD TIME 12-14 weeks excl. shipping











SOLSTICE NOIR X

DIMENSIONS Ø 50cm (19.7") | Height 150cm (59.1") Integrated LED (No bulb required)

ILLUMINATION LED colour temperature 3000K LED mains dimmable

Input 120/240V

WEIGHT 9kg (19.8lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.


SWTICH Plug with dimmer switch.

50,000 hours rated life

REGION CE certified; UL listing available at a surcharge.

LEAD TIME 12-14 weeks excl. shipping





$\begin{array}{c} AT E L I E R \\ OO1 \end{array}$

LONDON INFO@ATELIER001.COM | +44 (0)20 3778 0858 WWW.ATELIER001.COM