LIGHTING COLLECTION
2023

INTRODUCTION



Operating from a London-based studio, Atelier001 is a luxury lighting brand celebrating artisanship by creating beautiful, collectible lighting objects with the highest attention to detail and finish.

The designs are curated by acclaimed lighting designer and artist, Eva Menz, who is committed to making exceptional light pieces more accessible to a larger audience. The fabrication of the lights also aims to support a network of unique makers in what are often described as 'dying trades'.

Each Atelier001 piece is hand-finished by master artisans, who imbue these exclusive objects with their incredible skills. Each carefully considered detail attests to the dedication of the makers, while the individual touches and handmade quality celebrate the inherent beauty of authentic materials.

We encourage our audience to welcome and embrace the unique character within each object, its variations and small beautiful imperfections.

01 | 105

# COLLECTIONS

COSMIC COLLECTION	04
WALL LIGHTS	16
COMET PURION	16
COMET ORE	17
COMET OXIDIUM	18
COMET VERDIGRIS	19
COMET REGOLITH	20
PURION	21
ORE	22
OXIDIUM	23
AZURE	24
VERDIGRIS	25
REGOLITH	26
RUST	27
PENDANTS	28
COMET PENDANT PURION	28
COMET PENDANT ORE	29
COMET PENDANT OXIDIUM	30
COMET PENDANT VERDIGRIS	31
COMET PENDANT REGOLITH	32
COMET PENDANT AURUM	33
COMET PENDANT SOL	34
SOL PENDANT	35
PURION PENDANT	36
OXIDIUM PENDANT	37
RUST PENDANT	38

NOIR PENDANI	39
VERDIGRIS PENDANT	40
ORE PENDANT	41
PENDANT DUO SOL	42
PENDANT DUO VERDIGRIS	43
PENDANT DUO REGOLITH	44
ORE CHANDELIER	45
VERDIGRIS CHANDELIER	46
RUST CHANDELIER	47
REGOLITH CHANDELIER XL	48
VERDIGRIS CHANDELIER XL	49
ORE CHANDELIER XL	50
PURION CHANDELIER XL	51
CAROUSEL OXIDIUM CHANDELIER	52
CAROUSEL REGOLITH CHANDELIER	53
CAROUSEL PURION CHANDELIER	54
ORBIT SOLO ORE	55
ORBIT SOLO REGOLITH	56
ORBIT SOLO PURION	57
ORBIT SOLO RUST	58
ORBIT SOLO VERDIGRIS	59
ORBIT TRIO ORE	60
ORBIT TRIO REGOLITH	61
ORBIT TRIO PURION	62
ORBIT TRIO RUST	63
ORBIT TRIO VERDIGRIS	64
ORBIT TRIO XL ORE	65
ORBIT TRIO XL REGOLITH	66

ORBIT TRIO XL PURION ORBIT TRIO XL RUST ORBIT TRIO XL VERDIGRIS	67 68 69
TABLE LIGHTS SOLSTICE ORE SOLSTICE NOIR SOLSTICE AURUM	70 70 71 72
FLOOR LIGHTS SOLSTICE ORE X SOLSTICE NOIR X	73 73 74
LIQUID COLLECTION	75
WALL LIGHTS ALABASTER AMBER OCEAN JADE SMOKE	80 80 81 82 83
PENDANTS ALABASTER AMBER OCEAN JADE SMOKE	85 85 86 87 88

VORTEX SOLO ALABASTER	90
VORTEX SOLO JADE	91
VORTEX SOLO SMOKE	92
VORTEX TRIO ALABASTER	93
VORTEX TRIO JADE	94
VORTEX TRIO SMOKE	95
VORTEX QUIN ALABASTER	96
VORTEX QUIN JADE	97
VORTEX QUIN SMOKE	98
VORTEX TRIO XL ALABASTER	99
VORTEX TRIO XL JADE	100
VORTEX TRIO XL SMOKE	101
CITYSCAPE COLLECTION	102
PENDANTS	104
SYM	104
TRIO	105

COSMIC COLLECTION





Working with metal is always magical. For the Cosmic collection we play with both shapes and patina finishes. The aim was to achieve terrestrial, possibly extra-terrestrial imitations of surfaces, and planet-like appearances. These textures, imaginary imagery and actual alchemy formed the basis of our inspiration.

Reflector plates are first shaped over a mould into a curve. The mould is carved out of wood, then either brass or copper is spun over it. This leaves the smallest patters, tracing a process

that is beautiful to observe. The plates are the metalworkers' canvas of painting. Oxidising, heat, acid, pigments, process, patience, getting it wrong and starting all again. Bronzing, acid and heat treatment is applied to this collection, and each plate varies slightly and intentionally.

The process of brushing, spraying, splashing and polishing results in a variety of finishes, giving each piece of Cosmic an individual touch. It is the perfect demonstration of the interaction between the material and craftsmen.



# COSMIC COMET


PURION







VERDIGRIS



REGOLITH












ORE





















# COSMIC PENDANT











VERDIGRIS





# COSMIC CHANDELIER






















#### COSMIC CAROUSEL CHANDELIER

OXIDIUM



REGOLITH



PURION





# ORBIT SOLO PENDANT

ORE



REGOLITH






VERDIGRIS






# ORBIT TRIO PENDANT

REGOLITH







RUST



ORE



#### ORBIT TRIO PENDANT


ORE XL



REGOLITH XL



PURION XL



VERDIGRIS XL







#### SOLSTICE TABLE LIGHTS

ORE



AURUM







# SOLSTICE FLOOR LIGHTS

ORE X


NOIR X

















#### COMET PURION

DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.













#### COMET ORE

DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life


LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.















#### COMET OXIDIUM

DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Oxidised brass patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.
















#### COMET VERDIGRIS

DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.











DIMENSIONS Ø 20cm (7.9") | Depth 7cm (2.8") Ø 26cm (10.2") | Depth 9cm (3.5")

WEIGHT 3kg (6.6lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life


LED DRIVER LOCATION
Mains dimming: Integrated in fixture;
0-10V, 1-10V and Dali Dimming: To be integrated into wall.

WALL MOUNTED
All components supplied.

REGION CE certified; UL listing available at a surcharge.







COSMIC COLLECTION













#### PURION

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.















### ORE

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)


MATERIALS Satin brass framework Hand-spun brass plate


FINISH
Bronze gradient patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

















#### OXIDIUM

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Oxidised brass patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.















#### AZURE

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Mixed indigo patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.















#### VERDIGRIS

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)


MATERIALS Satin brass framework Hand-spun brass plate


FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

















#### REGOLITH

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)


MATERIALS Dark bronze framework Hand-spun brass plate


FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.















#### RUST

DIMENSIONS Ø 35cm (13.8") | Depth 12cm (4.7") Ø 60cm (23.6") | Depth 18cm (7.1")

WEIGHT 3kg (6.6lbs) 4kg (8.8lbs)


MATERIALS Satin brass framework Hand-spun brass plate


FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 450mA 4W 500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED
Driver to be integrated into wall.
All components supplied.

















#### COMET PENDANT PURION

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 15W 1200Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### COMET PENDANT ORE

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is handfinished and will vary slightly.


LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 15W 1200Im
Input 120/240V
50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### COMET PENDANT OXIDIUM

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Oxidised brass patina;
Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 15W 1200Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### COMET PENDANT VERDIGRIS

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 15W 1200Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### COMET PENDANT REGOLITH

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)


MATERIALS Dark bronze framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 15W 1200Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.









# ATELIER 001





#### COMET PENDANT AURUM

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)

MATERIALS Satin brass framework Hand-spun brass plate


FINISH Polished brass: Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 24V 15W 1200lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.



COSMIC COLLECTION







# ATELIER 001





#### COMET PENDANT SOL

DIMENSIONS Dia. 30cm (11.8") Height 60cm (23.6") Depth 9.2cm (3.6")

WEIGHT 7kg (15.4lbs)

MATERIALS Satin brass framework Hand-spun brass plate


FINISH Satin brass: Please note that each piece is handfinished and will vary slightly.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION Integrated LED (No bulb required) LED colour temperature 2700K LED dimmable driver Output 24V 15W 1200lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.

REGION CE certified; UL listing available at a surcharge.



COSMIC COLLECTION













#### SOL PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Satin brass;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### PURION PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### OXIDIUM PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb require

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Oxidised brass patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













#### RUST PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













#### NOIR PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













#### VERDIGRIS PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### ORE PENDANT

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 9kg (19.8lbs) 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















### PENDANT DUO SOL

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 27kg (59.5lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Satin brass;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 40W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















### PENDANT DUO VERDIGRIS

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 27kg (59.5lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 40W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















### PENDANT DUO REGOLITH

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 42cm (16.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 52cm (20.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 27kg (59.5lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 40W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.

















### ORE CHANDELIER

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 57cm (22.4") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 75cm (29.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 25kg (55.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2x17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













#### VERDIGRIS CHANDELIER

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 57cm (22.4") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 75cm (29.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 25kg (55.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2x17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













#### RUST CHANDELIER

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 57cm (22.4") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 75cm (29.5") LED colour temperature 2700K

WEIGHT 15kg (33.1lbs) 25kg (55.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2x17W 1500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.

















#### REGOLITH CHANDELIER XL

DIMENSIONS Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required) Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Dark bronze patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION LED dimmable driver Output 700mA 90W 4500lm Input 120/240V 50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED Driver to be integrated into ceiling. Suspension cable 300cm (118") to be cut to size.















### VERDIGRIS CHANDELIER XL

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Verdigris patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













#### ORE CHANDELIER XL

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze gradient patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













### PURION CHANDELIER XL

DIMENSIONS ILLUMINATION

Ø 70cm (27.5") | Height 85cm (33.5") Integrated LED (No bulb required)

Ø 100cm (39.4") | Height 108cm (42.5") LED colour temperature 2700K

WEIGHT 35kg (44.2lbs) 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Gloss and matt white lacquer;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### CAROUSEL OXIDIUM CHANDELIER

DIMENSIONS Ø 100cm (39.4") Height 110cm (43.3")

WEIGHT 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate Hand-blown glass plate

FINISH
Oxidised brass patina
Verdigris patina
Jade green to clear gradient

LEAD TIME 14-16 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













### CAROUSEL REGOLITH CHANDELIER

DIMENSIONS Ø 100cm (39.4") Height 110cm (43.3")

WEIGHT 40kg (88.2lbs)


MATERIALS Dark bronze framework Hand-spun brass plate Hand-blown glass plate

FINISH Dark bronze patina Rust patina Smoke grey to clear gradient

LEAD TIME 14-16 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















### CAROUSEL PURION CHANDELIER

DIMENSIONS Ø 100cm (39.4") Height 110cm (43.3")

WEIGHT 40kg (88.2lbs)


MATERIALS Satin brass framework Hand-spun brass plate Hand-blown glass plate

FINISH
Gloss white lacquer
Oxidised patina
High polished brass
White to clear gradient

LEAD TIME 14-16 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 90W 4500lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















## ORBIT SOLO ORE

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.











DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.


LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

REGION
CE certified;
UL listing available at a surcharge.

56 | 105













DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate


FINISH
Gloss or matt white lacquer;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.















DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.













DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 60cm (23.6")

WEIGHT 15kg (33.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 35W 2300Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.





















#### ORBIT TRIO ORE

DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.











DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Dark bronze framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.





















#### ORBIT TRIO PURION

DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.











DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.



















#### ORBIT TRIO VERDIGRIS

DIMENSIONS Width 120cm (47.2") Height 116cm (45.6") Depth 40cm (15.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.











DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.





















### ORBIT TRIO XL REGOLITH

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Dark bronze framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.
















#### ORBIT TRIO XL PURION

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Gloss or matt white lacquer;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.













DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Satin brass framework Hand-spun brass plate

FINISH Rust patina; Please note that each piece is handfinished and will vary slightly in patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.













### ORBIT TRIO XL VERDIGRIS

DIMENSIONS Width 160cm (63") Height 115cm (45.3") Depth 50cm (19.7")

WEIGHT 20kg (44.1lbs)


MATERIALS Medium bronze framework Hand-spun brass plate

FINISH
Verdigris patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 50W 3000lm
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
All components supplied.

















#### SOLSTICE ORE

DIMENSIONS Ø 40cm (15.7") | Height 47cm (18.5")

WEIGHT 6kg (13.2lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH Plug with dimmer switch.















#### SOLSTICE NOIR

DIMENSIONS Ø 40cm (15.7") | Height 47cm (18.5")


WEIGHT 6kg (13.2lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH
Plug with dimmer switch.















#### SOLSTICE AURUM

DIMENSIONS Ø 40cm (15.7") | Height 47cm (18.5")


WEIGHT 6kg (13.2lbs)

MATERIALS High polished brass framework Hand-spun brass plate

FINISH
High polished brass;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500lm
Input 120/240V
50,000 hours rated life

SWTICH Plug with dimmer switch.















#### SOLSTICE ORE X

DIMENSIONS ILLUMINATION

Ø 50cm (19.7") | Height 150cm (59.1") Integrated LED (No bulb required)


WEIGHT 9kg (19.8lbs)

MATERIALS Satin brass framework Hand-spun brass plate

FINISH
Bronze patina gradient;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500Im
Input 120/240V
50,000 hours rated life

SWTICH Plug with dimmer switch.















#### SOLSTICE NOIR X

DIMENSIONS ILLUMINATION

Ø 50cm (19.7") | Height 150cm (59.1") Integrated LED (No bulb required)


WEIGHT 9kg (19.8lbs)

MATERIALS Dark bronze framework Hand-spun brass plate

FINISH
Dark bronze patina;
Please note that each piece is handfinished and will vary slightly in
patterns and textures.

LEAD TIME 12-14 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 3000K
LED mains dimmable
Output 350mA 16W 1500Im
Input 120/240V
50,000 hours rated life

SWTICH Plug with dimmer switch.



LIQUID COLLECTION

# LIQUID COLLECTION



Inspired by the fluid forms, reflections and mesmerising light play of water shapes, the signature concentric glass shades of the Liquid lamps are individually handmade by a master artisan with over 25 years of experience in glassmaking.

The collection found its genesis and evolution through the exploration into the temperament and limitations of glass. The process of glass-blowing is one of mastery, best described as a dance in which the artisan moves rhythmically from flame to bench guided by the material's properties: its fluidity, melting points and hardening schedules. The hand-forming and twisting of the material as well as the blending in of smooth colour gradients result in subtle and intentional imperfections.


Enhanced with minimal yet advanced LED technology, the glass plates shine and project its gradient patterns onto the wall, Each Liquid wall piece is a celebration of unique craftsmanship.

75 | 105



## WALL PIECES

LIQUID ALABASTER



LIQUID AMBER



LIQUID OCEAN



LIQUID SMOKE





## LIQUID PENDANT

ALABASTER







OCEAN



SMOKE





#### LIQUID VORTEX SOLO

ALABASTER







SMOKE



#### LIQUID VORTEX TRIO

ALABASTER



JADE



SMOKE





#### LIQUID VORTEX QUIN

ALABASTER



JADE



SMOKE



#### LIQUID VORTEX TRIO XL

ALABASTER



JADE



SMOKE













#### LIQUID ALABASTER

DIMENSIONS Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT 4kg (8.8lbs)

MATERIALS Aged brass framework Hand-blown glass


FINISH
White to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED

Driver to be integrated into wall.











#### LIQUID AMBER

DIMENSIONS Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT 4kg (8.8lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH Amber yellow to clear gradient; Please note that each piece is handblown and will vary slightly.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


WALL MOUNTED
Driver to be integrated into wall.














#### LIQUID OCEAN

DIMENSIONS Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT 4kg (8.8lbs)

MATERIALS Aged brass framework Hand-blown glass


FINISH
Ocean blue to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


WALL MOUNTED


Driver to be integrated into wall.













#### LIQUID JADE

DIMENSIONS Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT 4kg (8.8lbs)

MATERIALS Aged brass framework Hand-blown glass


FINISH
Jade green to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED

Driver to be integrated into wall.













#### LIQUID SMOKE

DIMENSIONS Ø 40cm (15.7") | Depth 8cm (3.2")

WEIGHT 4kg (8.8lbs)

MATERIALS Aged brass framework Hand-blown glass


FINISH Smoke grey to clear gradient; Please note that each piece is handblown and will vary slightly.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

WALL MOUNTED

Driver to be integrated into wall.















## LIQUID PENDANT ALABASTER

DIMENSIONS Ø 50cm (19.7") Height 38.3cm (15.1")

WEIGHT 6kg (13.2lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















## LIQUID PENDANT AMBER

DIMENSIONS Ø 50cm (19.7") Height 38.3cm (15.1")

WEIGHT 6kg (13.2lbs)

MATERIALS Aged brass framework Hand-blown glass


FINISH

Amber yellow to clear gradient; Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life


DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















## LIQUID PENDANT OCEAN

DIMENSIONS Ø 50cm (19.7") Height 38.3cm (15.1")

WEIGHT 6kg (13.2lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Ocean blue to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















## LIQUID PENDANT JADE

DIMENSIONS Ø 50cm (19.7") Height 38.3cm (15.1")

WEIGHT 6kg (13.2lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















## LIQUID PENDANT SMOKE

DIMENSIONS Ø 50cm (19.7") Height 38.3cm (15.1")

WEIGHT 6kg (13.2lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH Smoke grey to clear gradient; Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















## LIQUID VOTEX SOLO ALABASTER

DIMENSIONS Ø 50cm (19.7") Depth 7cm (2.8")

WEIGHT 6kg (13.2lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V


CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.













DIMENSIONS Ø 50cm (19.7") Depth 7cm (2.8")

WEIGHT 6kg (13.2lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### LIQUID VOTEX SOLO SMOKE

DIMENSIONS Ø 50cm (19.7") Depth 7cm (2.8")

WEIGHT 6kg (13.2lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 6W 750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.
















## LIQUID VOTEX TRIO ALABASTER

DIMENSIONS Height 85.5 (33.7") Width 97.5cm (38.3") Depth 7cm (2.8")

WEIGHT 15kg (33.1lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















## LIQUID VOTEX TRIO JADE

DIMENSIONS Height 85.5 (33.7") Width 97.5cm (38.3") Depth 7cm (2.8")

WEIGHT 15kg (33.1lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















#### LIQUID VOTEX TRIO SMOKE

DIMENSIONS Height 85.5 (33.7") Width 97.5cm (38.3") Depth 7cm (2.8")

WEIGHT 15kg (33.1lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.















## LIQUID VOTEX QUIN ALABASTER

DIMENSIONS Height 93.5cm (37.2") Width 142.5cm (56.1") Depth 17.5cm (6.9")

WEIGHT 19kg (41.9lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 30W 3750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.
All components supplied.
















#### LIQUID VOTEX QUIN JADE

DIMENSIONS Height 93.5cm (37.2") Width 142.5cm (56.1") Depth 17.5cm (6.9")

WEIGHT 19kg (41.9lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 30W 3750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.
All components supplied.















#### LIQUID VOTEX QUIN SMOKE

DIMENSIONS Height 93.5cm (37.2") Width 142.5cm (56.1") Depth 17.5cm (6.9")

WEIGHT 19kg (41.9lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 30W 3750Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.
All components supplied.

















#### LIQUID VOTEX TRIO XL ALABASTER

DIMENSIONS Height 50cm (19.7") Width 170 (66.9") Depth 7cm (2.8")

WEIGHT 18kg (39.7lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
White to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.
All components supplied.














#### LIQUID VOTEX TRIO XL SMOKE

DIMENSIONS Height 50cm (19.7") Width 170 (66.9") Depth 7cm (2.8")

WEIGHT 18kg (39.7lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Jade green to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.
All components supplied.














#### LIQUID VOTEX TRIO XL SMOKE

DIMENSIONS Height 50cm (19.7") Width 170 (66.9") Depth 7cm (2.8")

WEIGHT 18kg (39.7lbs)


MATERIALS Aged brass framework Hand-blown glass

FINISH
Smoke grey to clear gradient;
Please note that each piece is handblown and will vary slightly.

LEAD TIME 10-12 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 24V 18W 2250Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.
All components supplied.



CITYSCAPE COLLECTION

#### CITYSCAPE COLLECTION



The Cityscape collection originates from drawing a single silhouette, an outline. This is what we began with, but through a delicate process, the line is turned into a three-dimensional object. Illumination brings it all to light revealing the finest lines and smallest details.

To enable this process, Atelier001 collaborates with a workshop that is experienced with scientific glass for nearly half a century. Shaping medical glass requires extreme patience, tenacity and concentration. It's clear that a glassblower requires

the ability to be a problem-solver, and a logical but creative thinker, with patience, dexterity and ability to control with precision - even one's own breath. Such a craft involves much artistry and technique.

The result of this careful shaping is a delicate and yet very toughened glass vessel. We enrich it with a single light source, implemented as suspension and as illumination. The intention is to cast mesmerising shadows and a play of light on its surroundings, adding to the sculptural features of a space.

102 | 105



## CEILING PIECES

SYM



TRIO













#### CITYSCAPE SYM

DIMENSIONS Ø 15cm (5.9") Height 52cm (20.5")

WEIGHT 3kg (6.6lbs)


MATERIALS Satin brass framework Hand-blown glass

FINISH
Satin finished brass;
Please note that each piece is handfinished and will vary slightly.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 2W 200Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.
All components supplied.















#### CITYSCAPE TRIO

DIMENSIONS Width 50cm (19.7") Height 90cm (35.4") Depth 45cm (17.7")

WEIGHT 8kg (17.7lbs)

MATERIALS Satin brass framework Hand-blown glass

FINISH
Satin finished brass;
Please note that each piece is handfinished and will vary slightly.

LEAD TIME 8-10 weeks excl. shipping ILLUMINATION
Integrated LED (No bulb required)
LED colour temperature 2700K
LED dimmable driver
Output 700mA 3x2W 200Im
Input 120/240V
50,000 hours rated life

DIMMING Mains, DALI, 0-10V or 1-10V

CEILING MOUNTED
Driver to be integrated into ceiling.
Suspension cable 300cm (118") to be cut to size.
All components supplied.

